





Appendix 14

Plant and animal pests

Contents	Page
Table A14.1: Plant pests	3
Table A14.2: Animal pests	8

Plan modification annotations

  indicates where content is affected by proposed plan modification x. refer to plan modification folder or website for details.

  indicates where the content is part of plan modification x, which is subject to appeal.

Underlined content to be inserted.

~~Struck through~~ content to be deleted.

Table A14.1: Plant pests

The plants listed in the table below are pest plants.

Scientific name	Common name
<i>Acacia paradoxa</i>	Kangaroo acacia
<i>Acaena agnipila</i>	Sheeps bur
<i>Acmena smithii</i> syn. <i>Syzygium smithii</i>	Monkey apple
<i>Actinidia</i> species (wild varieties only)	Wild kiwifruit
<i>Agapanthus praecox</i> syn. <i>A. orientalis</i> (large forms only)	Agapanthus (large forms)
<i>Ageratina riparia</i>	Mist flower
<i>Ailanthus altissima</i>	Tree of heaven
<i>Alocasia macrorrhiza</i> syn. <i>A. brisbanensis</i>	Elephant's ear
<i>Alternanthera philoxeroides</i>	Alligator weed
<i>Andropogon virginicus</i>	Broomsedge
<i>Anredera cordifolia</i>	Madeira vine
<i>Araujia sericifera</i> syn. <i>A. hortorum</i>	Moth plant
<i>Arctium minus</i>	Burdock
<i>Aristea ecklonii</i>	Aristea
<i>Arum italicum</i>	Italian arum
<i>Arundo donax</i>	Giant reed
<i>Asparagus asparagoides</i>	Smilax
<i>Asparagus densiflorus</i>	Bushy asparagus
<i>Asparagus drepanophyllus</i> , <i>A. umbellatus</i>	Asparagus species
<i>Asparagus scandens</i>	Climbing asparagus
<i>Austrostipa rudis</i>	Needle grass
<i>Baccharis halimifolia</i>	Baccharis
<i>Banksia integrifolia</i>	Coast banksia
<i>Bartlettina sordida</i>	Bartlettina
<i>Berberis darwinii</i>	Darwin's barberry
<i>Berberis glaucocarpa</i>	Barberry
<i>Bomarea caldasii</i> , <i>B. multiflora</i>	Bomarea
<i>Bryonia cretica</i>	White bryony
<i>Buddleja davidii</i>	Buddleja
<i>Calicotome spinosa</i>	Spiny broom
<i>Callistachys lanceolata</i>	Oxylobium
<i>Calluna vulgaris</i> (excluding double flowered cultivars)	Heather
<i>Calotis lappulacea</i>	Bur daisy
<i>Cardiospermum grandiflorum</i> , <i>C. halicacabum</i>	Balloon vine and small balloon vine
<i>Carduus acanthoides</i>	Plumeless thistle
<i>Carduus nutans</i>	Nodding thistle
<i>Carex divulsa</i>	Carex

Scientific name	Common name
<i>Carex longebrachiata</i>	Australian sedge
<i>Carpobrotus edulis</i> and hybrids	Iceplant
<i>Carthamus lanatus</i>	Saffron thistle
<i>Caulerpa taxifolia</i>	Caulerpa
<i>Celastrus orbiculatus</i>	Climbing spindle berry
<i>Ceratophyllum demersum</i>	Hornwort
<i>Cestrum parqui</i>	Green cestrum
<i>Chondrilla juncea</i>	Skeleton weed
<i>Chrysanthemoides monilifera</i>	Boneseed
<i>Clematis flammula</i>	Clematis flammula
<i>Clematis vitalba</i>	Old man's beard
<i>Cobaea scandens</i>	Cathedral bells
<i>Conium maculatum</i>	Hemlock
<i>Cortaderia selloana</i> , <i>C. jubata</i>	Pampas grass
<i>Cotoneaster glaucophyllus</i> , <i>C. franchetii</i>	Cotoneaster
<i>Cotoneaster simonsii</i>	Khasia berry
<i>Cotyledon orbiculata</i>	African pig's ear
<i>Crassula multicava</i>	Pitted crassula
<i>Crataegus monogyna</i>	Hawthorn
<i>Crocasmia x crocosmiiflora</i>	Montbretia
<i>Cyathea cooperi</i>	Rough tree fern
<i>Cyperus rotundus</i>	Nutgrass
<i>Cytisus scoparius</i> (excl. cultivated varieties)	Wild broom
<i>Dipogon lignosus</i>	Mile-a-minute
<i>Drosera capensis</i>	Cape sundew
<i>Dryopteris filix-mas</i>	Male fern
<i>Eccremocarpus scaber</i>	Chilean glory creeper
<i>Egeria densa</i>	Egeria
<i>Ehrharta villosa</i>	Pyp grass
<i>Eichhornia crassipes</i>	Water hyacinth
<i>Elaeagnus x reflexa</i>	Elaeagnus
<i>Eomecon chionantha</i>	Snow poppy
<i>Equisetum</i> species (all)	Horsetail
<i>Eragrostis curvula</i>	African love grass
<i>Erica lusitanica</i>	Spanish heath
<i>Erigeron karvinskianus</i>	Mexican daisy
<i>Euonymus japonicus</i>	Japanese spindle tree
<i>Ficus microcarpa</i>	Strangling fig
<i>Ficus rubiginosa</i>	Port Jackson fig
<i>Fuchsia boliviana</i>	Bolivian fuchsia
<i>Galega officinalis</i>	Goat's rue

Scientific name	Common name
<i>Galeobdolon luteum</i> syn. <i>Lamiastrum galeobdolon</i>	Artillery plant
<i>Geitonoplesium cymosum</i>	Scrambling lily
<i>Glyceria maxima</i>	Reed sweet grass
<i>Gunnera tinctoria</i>	Chilean rhubarb
<i>Gymnocoronis spilanthoides</i>	Senegal tea
<i>Hedera helix</i> subsp. <i>helix</i>	English ivy
<i>Hedychium gardnerianum</i> , <i>H. flavescens</i>	Wild ginger
<i>Heracleum mantegazzianum</i>	Giant hogweed
<i>Hieracium</i> spp. (all)	Hawkweed
<i>Homalanthus populifolius</i>	Queensland poplar
<i>Homeria collina</i>	Cape tulip
<i>Houttuynia cordata</i>	Houttuynia
<i>Hydrilla verticillata</i>	Hydrilla
<i>Hydrocleys nymphoides</i>	Water poppy
<i>Hypericum androsaemum</i>	Tutsan
<i>Ipomoea indica</i>	Blue morning glory
<i>Iris pseudacorus</i>	Yellow flag
<i>Jasminum humile</i>	Italian jasmine
<i>Jasminum polyanthum</i>	Jasmine
<i>Kennedia rubicunda</i>	Dusky coral pea
<i>Lagarosiphon major</i>	Lagarosiphon, oxygen weed
<i>Lagunaria patersonii</i>	Norfolk Island hibiscus
<i>Lantana camara</i>	Lantana
<i>Leycesteria formosa</i>	Himalayan honeysuckle
<i>Ligustrum lucidum</i> , <i>L. sinense</i>	Privet
<i>Lilium formosanum</i>	Formosa lily
<i>Lonicera japonica</i>	Japanese honeysuckle
<i>Lophospermum erubescens</i>	Climbing gloxinia
<i>Ludwigia peploides</i> subsp. <i>montevidensis</i>	Water primrose
<i>Lycium ferocissimum</i>	Boxthorn
<i>Lycopus europaeus</i>	Gypsywort
<i>Lythrum salicaria</i>	Purple loosestrife
<i>Macfadyena unguis-cati</i>	Cat's claw creeper
<i>Marsilea mutica</i>	Nardoo
<i>Melaleuca quinquenervia</i>	Paperbark poplar
<i>Melianthus major</i>	Cape honey flower
<i>Menyanthes trifoliata</i>	Bog bean
<i>Myoporum insulare</i> (including hybrids)	Tasmanian ngaio
<i>Myrica faya</i>	Fire tree
<i>Myricaria germanica</i>	False tamarisk
<i>Myriophyllum aquaticum</i>	Parrots feather

Scientific name	Common name
<i>Nasella neesiana</i>	Chilean needle grass
<i>Nassella</i> spp.	Nassella species
<i>Nassella tenuissima</i>	Mexican feather grass
<i>Nassella trichotoma</i>	Nassella tussock
<i>Nephrolepis cordifolia</i>	Tuber ladder fern
<i>Nuphar lutea</i>	Yellow water lily
<i>Nymphaea mexicana</i>	Mexican water lily
<i>Nymphoides geminata</i>	Marshwort
<i>Nymphoides peltata</i>	Fringed water lily
<i>Ochna serrulata</i>	Mickey Mouse plant
<i>Opuntia monacantha</i>	Drooping prickly pear
<i>Osmunda regalis</i>	Royal fern
<i>Panicum maximum</i>	Guinea grass
<i>Paraserianthes lophantha</i>	Brush wattle
<i>Passiflora caerulea</i>	Blue passion flower
<i>Passiflora tripartita</i> var. <i>mollissima</i> , <i>P. mixta</i> , <i>P. tarminiana</i>	Banana passionfruit
<i>Pennisetum macrourum</i>	African feather grass
<i>Pennisetum</i> spp. (all except <i>P. clandestinum</i> and <i>P. glaucum</i>)	<i>Pennisetum</i> species (except kikuyu grass and pearl millet)
<i>Persicaria perfoliata</i> syn <i>Polygonum perfoliatum</i>	Devil's tail
<i>Phoenix canariensis</i> (pest status applies only after 1 July 2010 and excludes those which are listed as scheduled trees in appendix 1g - Schedule of trees - inner islands or appendix 2g - Schedule of trees - outer islands)	Phoenix palm
<i>Phragmites australis</i>	Phragmites
<i>Pinus contorta</i>	Lodgepole pine
<i>Pistia stratiotes</i>	Water lettuce
<i>Pittosporum undulatum</i>	Sweet pittosporum
<i>Plectranthus ciliatus</i>	Plectranthus
<i>Plectranthus ecklonii</i> , <i>P. grandis</i>	Blue spur flower
<i>Polygala myrtifolia</i> (not including cv. "Grandiflora")	Sweet pea shrub
<i>Potamogeton perfoliatus</i>	Clasped pondweed
<i>Pueraria montana</i> syn. <i>P. lobata</i>	Kudzu vine
<i>Pyracantha angustifolia</i>	Firethorn
<i>Reynoutria japonica</i> syn. <i>Fallopia japonica</i> , <i>R. sachalinensis</i> syn. <i>F. sachalinensis</i> and hybrids	Asiatic knotweed
<i>Rhamnus alaternus</i>	Rhamnus
<i>Rhaphiolepis umbellata</i>	Sexton's bride
<i>Ricinus communis</i>	Castor oil plant
<i>Rosa rubiginosa</i>	Sweet briar
<i>Rubus fruticosus</i> agg.	Blackberry (wild aggregates)

Scientific name	Common name
<i>Rumex sagittatus</i>	Climbing dock
<i>Sagittaria</i> all species (except <i>S. teres</i>)	Sagittaria
<i>Salix cinerea</i>	Grey willow
<i>Salix fragilis</i>	Crack willow
<i>Salvinia molesta</i>	Salvinia
<i>Saururus cernuus</i>	Lizard's tail
<i>Schinus terebinthifolius</i>	Brazilian pepper tree
<i>Schoenoplectus californicus</i>	Californian bulrush
<i>Selaginella kraussiana</i>	African club moss, Selaginella
<i>Senecio angulatus</i>	Cape ivy
<i>Senecio jacobaea</i>	Ragwort
<i>Senecio mikanioides</i> syn. <i>Delairea odorata</i>	German ivy
<i>Senecio petasitis</i>	Velvet groundsel
<i>Senna septemtrionalis</i>	Buttercup bush
<i>Setaria palmifolia</i>	Palm grass
<i>Silybum marianum</i>	Variegated thistle
<i>Solanum marginatum</i>	White-edged nightshade
<i>Solanum mauritianum</i>	Woolly nightshade
<i>Solanum torvum</i>	Devil's fig
<i>Sorghum halepense</i>	Johnson grass
<i>Spartina alterniflora</i> , <i>S. anglica</i> and <i>S. x townsendii</i>	Spartina
<i>Syzygium australe</i>	Brush cherry
<i>Teline monspessullana</i>	Montpellier broom
<i>Toxicodendron succedanea</i> syn. <i>Rhus succedanea</i>	Rhus tree
<i>Tradescantia fluminensis</i>	Tradescantia
<i>Tropaeolum speciosum</i>	Chilean flame creeper
<i>Tussilago farfara</i>	Coltsfoot
<i>Typha latifolia</i>	Great reedmace
<i>Ulex</i> spp.	Gorse
<i>Urtica dioica</i>	Perennial nettle
<i>Utricularia arenaria</i> , <i>U. gibba</i> , <i>U. livida</i> , <i>U. sandersonii</i>	Bladderwort species
<i>Vallisneria gigantea</i> , and <i>V. spiralis</i>	Eel grass
<i>Vinca major</i>	Periwinkle
<i>Xanthium occidentale</i>	Noogoora bur
<i>Xanthium spinosum</i>	Bathurst bur
<i>Zantedeschia aethiopica</i>	Arum lily
<i>Zizania latifolia</i>	Manchurian wild rice

Note:

This list has been compiled from table 5.3a of the Auckland Regional Pest Management Strategy 2007-2012.

Table A14.2: Animal pests

The animals listed in the table below are pest animals.¹

Note:

Species marked with an asterisk (*) are declared pests only when not held in secure containment that effectively prevents the escape or passage of the animal.

Common name	Scientific name
Argentine ant	<i>Linepithema humile</i>
Brushtail possum	<i>Trichosurus vulpecula</i>
Exotic freshwater fauna:	
Brown bullhead catfish	<i>Ameiurus nebulosus</i> syn. <i>Ictalurus nebulosus</i>
Gambusia	<i>Gambusia affinis</i>
Gudgeon	<i>Gobio gobio</i>
Koi carp	<i>Cyprinus carpio</i>
Marron	<i>Cherax tenuimanus</i> and <i>C. quadracarinatus</i>
Orfe	<i>Leuciscus idus</i>
Perch	<i>Perca fluviatilis</i>
Rudd	<i>Scardinius erythrophthalmus</i>
Tench	<i>Tinca tinca</i>
Exotic reptile species:	
Blue-tongued skink	<i>Tiliqua scincoides</i> and <i>T. nigrolutea</i>
Bearded dragon*	<i>Amphibolurus barbatus</i> syn. <i>Pogona barbata</i>
Eastern water dragon*	<i>Physignathus lesueurii lesueurii</i>
Red-eared slider turtle*	<i>Trachemys scripta elegans</i>
Shingleback lizard*	<i>Trachydosaurus rugosus</i> syn. <i>Tiliqua rugosa</i>
Feral cat ²	<i>Felis catus</i>
Feral deer* ³	<i>Cervus, Axis, Dama, Odocoileus, or Elaphurus</i> spp. including any hybrid
Feral goat*	<i>Capra hircus</i>
Feral pig*	<i>Sus scrofa</i>
Hedgehog	<i>Erinaceus europaeus occidentalis</i>
Magpie	<i>Gymnorhina</i> spp.
Mouse	<i>Mus musculus</i>
Mustelids	
Ferret	<i>Mustela furo</i>
Stoat	<i>Mustela erminea</i>
Weasel	<i>Mustela nivalis vulgaris</i>
Myna	<i>Acridotheres tristis</i>
Rabbit	<i>Oryctolagus cuniculus cuniculus</i>
Rats:	
Ship rat	<i>Rattus rattus</i>
Norway rat	<i>Rattus norvegicus</i>
Kiore	<i>Rattus exulans</i>

Common name	Scientific name
Rook	<i>Corvus frugilegus</i>
Sulphur-crested cockatoo*	<i>Cacatua galerita</i>
Wallabies	<i>Macropus, Petrogale</i> or <i>Wallabia</i> spp.
Wasps:	
Common wasp	<i>Vespula vulgaris</i>
German wasp	<i>Vespula germanica</i>
Asian paper wasp	<i>Polistes chinensis</i>
Australian paper wasp	<i>Polistes humilis</i>

1. This list has been compiled from table 10.1a of the Auckland Regional Pest Management Strategy 2007-2012.
2. Feral cats are defined in Auckland Regional Pest Management Strategy 2007-2012 as "Cats that have none of their needs provided by humans."
3. Feral animal (other than feral cats) is defined in Auckland Regional Pest Management Strategy 2007-2012 as "Any animal not held behind effective fences or otherwise constrained or identified in accordance with the Animal Identification Act 1993."