

AUCKLAND Regional Policy Statement

Appendix L

Volcanic Cone Viewshafts - Surveyed Co-ordinates

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
A1	1	697936.32	294323.27	49.90 (1m AGL)	6476951.26	2661969.04
	2	698225.95	296162.35	99.10	6477203.18	2663813.81
	3	698905.38	295912.93	99.10	6477887.62	2663578.34
A2	1	697318.89	295997.87	60.39 (1m AGL)	6476299.61	2663630.77
	2	698526.95	295756.47	97.57	6477512.46	2663414.15
	3	698524.25	296252.43	97.57	6477499.59	2663909.99
A3	1	795772.77	395590.56	56.57	5912872.45	1752735.70
	2	798750.51	395816.19	98.50	5915845.47	1753016.35
	3	798682.43	396262.70	98.50	5915769.15	1753461.52
	4	796975.77	395796.51	73.71	5914071.42	1752963.86
A5	1	797080.81	397625.68	52.96	5914142.62	1754794.64
	2	798525.83	395892.68	95.95	5915619.42	1753088.67
	3	798878.24	396261.63	95.95	5915964.95	1753464.07
	4	798676.22	396261.92	92.95	5915762.96	1753460.62
A6	1	799054.46	397620.24	43.18	5916116.02	1754825.69
	2	798566.05	396111.93	101.95	5915655.58	1753308.62
	3	798962.65	396037.49	101.95	5916053.48	1753241.53
	4	798807.71	396569.45	83.19	5915888.74	1753770.53
A7	1	696950.85	298086.47	66.75 (1m AGL)	6475888.84	2665711.54
	2	698343.11	295908.76	98.90	6477325.52	2663562.65
	3	698743.65	296224.56	98.90	6477719.53	2663886.62
A8	1	797478.88	397719.01	65.92	5914538.89	1754889.32
	2	798563.90	395971.41	95.40	5915656.03	1753168.09
	3	798909.61	396241.05	95.40	5915996.69	1753444.07
	4	798676.22	396261.92	92.95	5915762.96	1753460.62
A9	1	698090.46	296925.60	65.40 (1m AGL)	6477052.07	2664574.18
	2	698308.15	295940.28	98.68	6477289.91	2663593.45
	3	698767.84	296177.67	98.68	6477744.69	2663840.23

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
A10	1	699638.24	297208.86	40.18 (1m AGL)	6478593.85	2664889.11
	2	698404.95	296155.83	98.30	6477382.29	2663810.96
	3	698783.55	295830.68	98.30	6477767.50	2663493.60
A11	1	800722.22	396871.30	28.70	5917797.33	1754107.71
	2	798641.9	396235.26	102.31	5915729.14	1753433.33
	3	798866.58	395736.02	102.31	5915963.00	1752938.34
	4	798960.44	396127.59	93.41	5916049.61	1753331.57
A13	1	702165.97	290247.81	14.30 (1m AGL)	6481263.85	2657980.74
	2	698126.98	295796.36	62.00	6477111.72	2663445.84
	3	698794.44	296225.48	62.00	6477770.30	2663888.58
B1	1	703727.18	305343.68	5.13 (1m AGL)	6482515.52	2673106.63
	2	703354.98	306079.34	3.60 (1m AGL)	6482128.29	2673834.57
	3	704653.94	311882.72	-	6483308.08	2679663.78
	4	705786.31	311618.86	-	6484445.70	2679423.18
B2	1	703435.18	306362.37	(1m AGL)	6482202.68	2674119.20
	2	703025.98	307376.50	-	6481772.74	2675124.80
	3	704725.57	311951.66	-	6483378.28	2679734.17
	4	705922.78	311463.08	GRADE -1:100	6484585.35	2679270.22
B3	1	703054.04	307476.08	4.40 (1m AGL)	6481798.76	2675224.94
	2	705828.52	311463.08	-44.18	6484491.10	2679268.29
	3	705384.18	311738.05	-44.18	6484041.18	2679534.10
B5	1	703086.00	312107.26	40.80 (1m AGL)	6481735.75	2679856.13
	2	708855.81	305699.23	-269.13	6487636.18	2673567.29
	3	711708.52	312182.50	-269.13	6490355.55	2680108.22
B6	1 East	699143.49	313798.32	56.39 (1m AGL)	6477759.14	2681466.09
	1 West	699164.60	313751.68	51.65 (1m AGL)	6477781.21	2681419.90
	2	708927.15	305935.07	-107.40	6487702.67	2673804.56
	3	711484.72	311551.83	-116.30	6490144.71	2679473.03

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
E1	1	699340.19	299706.09	94.94(1m AGL)	6478244.67	2667379.90
	2	700092.66	299777.00	133.32	6478995.58	2667466.22
	3	699921.36	300189.28	133.32	6478815.85	2667874.94
E2	1	698894.44	299638.35	89.35 (1m AGL)	6477800.37	2667303.04
	2	700060.35	299785.30	128.90	6478963.11	2667473.85
	3	699966.16	300120.38	128.90	6478862.07	2667806.96
E3	1	697749.96	299352.73	76.73 (1m AGL)	6476661.90	2666994.01
	2	700077.93	299720.06	117.54	6478982.02	2667408.98
	3	699932.90	300241.06	117.54	6478826.33	2667926.94
E4	1	698607.69	299948.22	86.55 (1m AGL)	6477507.31	2667606.98
	2	700005.28	299667.68	112.20	6478910.45	2667355.13
	3	699995.67	300272.94	112.20	6478888.44	2667960.10
E5	1	797104.17	398311.64	72.22	5914153.29	1755480.92
	2	800334.26	399755.10	126.63	5917356.14	1756983.84
	3	800079.50	400225.92	126.63	5917092.73	1757449.88
	4	800090.82	399837.75	123.80	5917111.22	1757061.98
E6	No survey information available					
E8	1	705135.22	303025.47	3.60	6483970.89	2670817.60
	2	705150.28	303054.09	4.36	6483985.36	2670846.52
	3	705128.48	303181.01	4.52	6483960.96	2670972.98
	4	705140.46	303245.65	4.56	6483971.62	2671037.86
	5	699874.98	300190.23	148.85	6478769.46	2667874.93
	6	699960.46	300053.47	148.85	6478857.73	2667739.94
	7	700170.73	299717.06	148.85	6479074.87	2667407.89
	8	700199.44	299671.13	148.85	6479104.52	2667362.55
E9	1	701955.85	301046.50	66.89 (1m AGL)	6480832.50	2668773.73
	2	700138.64	299758.26	140.25	6479041.93	2667448.42
	3	699926.21	300128.67	140.25	6478821.95	2667814.43

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
E10	1	700039.37	300260.61	135.00	6478932.40	2667948.67
	2	699964.92	299766.19	135.00	6478868.08	2667452.79
	3	706820.13	298734.05	4.60 (1m AGL)	6485743.55	2666561.27
	4	706899.44	298752.20	4.41 (1m AGL)	6485822.47	2666581.04
	5	707042.64	298812.23	4.17 (1m AGL)	6485964.42	2666644.00
	6	707489.25	299138.93	4.00 (1m AGL)	6486404.28	2666979.81
E11	1	702757.99	303266.27	3.96 (1m AGL)	6481589.04	2671009.64
	2	702853.96	303705.12	4.43 (1m AGL)	6481676.01	2671450.40
	3	699761.97	300191.65	135.00	6478656.44	2667874.04
	4	700401.03	299677.17	135.00	6479305.96	2667372.72
	A	702760.99	303352.21	4.05	6481590.28	2671095.63
	B	702767.02	303417.51	4.12	6481594.98	2671161.04
	C	702782.15	303485.25	4.19	6481608.71	2671229.09
	D	702834.92	303655.70	4.38	6481657.98	2671400.60
E12	1 South	702507.84	303996.81	5.55 (1m AGL)	6481323.96	2671734.95
	1 North	702580.92	303922.38	4.04 (1m AGL)	6481398.55	2671662.03
	2	700448.34	299722.59	127.33	6479352.33	2667419.10
	3	699777.60	300130.75	126.78	6478673.31	2667813.47
E13	1 East	701799.87	305006.43	49.26 (1m AGL)	6480595.38	2672729.93
	1 West	701777.14	304855.61	40.33 (1m AGL)	6480575.75	2672578.66
	2	700511.02	299832.89	115.80	6479412.74	2667530.67
	3	699833.28	300053.50	113.50	6478730.58	2667737.36
E14	1	700469.49	301123.49	82.04 (1m AGL)	6479344.77	2668820.13
	2	700423.13	301215.68	81.09 (1m AGL)	6479296.53	2668911.48
	3	700367.34	301299.54	80.14 (1m AGL)	6479239.03	2668994.18
	4	700299.03	301375.60	79.17 (1m AGL)	6479169.17	2669068.83
	5	700253.87	301411.27	78.62 (1m AGL)	6479123.28	2669103.57
	6	700362.27	299902.93	110.75	6479262.58	2667597.66
	7	699653.33	300092.89	110.75	6478549.83	2667773.07
E15	No survey information available					

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
E16	1	705005.82	298188.54	28.10 (1m AGL)	6483940.65	2665978.65
	2	705587.07	298496.36	40.75 (1m AGL)	6484515.51	2666298.34
	3	700086.13	300255.89	135.00	6478979.24	2667944.91
	4	699961.72	299886.27	135.00	6478862.42	2667572.79
E18	1	801525.42	399758.00	88.53	5918547.05	1757008.75
	2	800129.71	399835.62	103.10	5917150.14	1757060.57
	3	800288.14	400408.50	103.10	5917297.96	1757636.28
	4	801100.26	399946.89	93.38	59181118.47	1757189.75
	5	801381.36	399796.94	90.06	5918402.29	1757045.03
E19	1	701454.86	300243.98	87.20 (1m AGL)	6480348.03	2667961.05
	2	701332.31	300281.51	84.95 (1m AGL)	6480224.72	2667996.06
	3	699917.33	300320.35	116.36	6478809.14	2668005.90
	4	700112.82	299562.83	112.00	6479020.13	2667252.49
	5	701377.70	300215.92	88.55	6480271.46	2667931.41
E20	1	702048.97	298942.22	72.30 (1m AGL)	6480968.74	2666671.64
	2	699877.27	299788.86	122.73	6478779.98	2667473.67
	3	700238.53	300410.36	122.73	6479128.45	2668102.48
H1	1	700563.58	300979.51	82.62	6479441.79	2668678.22
	2	699765.06	301923.73	96.62	6478624.04	2669605.94
	3	700057.70	302107.90	96.62	6478912.86	2669796.09
H2	1 East	702914.15	302851.62	4.50 (1m AGL)	6481753.68	2670598.25
	1 West	703018.14	302745.47	4.37 (1m AGL)	6481859.84	2670494.24
	2	700042.20	301745.87	104.15	6478904.78	2669433.79
	3	699916.15	302219.80	104.70	6478769.03	2669905.07
H3	1	702777.54	303127.32	3.80	6481611.44	2670871.11
	2	702758.78	303244.13	3.94	6481590.29	2670987.52
	3	702772.03	303446.68	3.27	6481599.38	2671190.31
	4	702847.36	303687.92	3.50	6481669.76	2671433.06
	5	700079.22	301772.18	100.30	6478941.26	2669460.85

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
	6	700026.59	301881.57	100.30	6478886.39	2669569.15
	7	699944.54	302052.10	100.30	6478800.86	2669737.97
	8	699858.79	302230.32	100.30	6478711.47	2669914.41
H4	1 East	701799.87	305006.43	49.26 (1m AGL)	6480595.38	2672729.93
	1 West	701777.14	304855.61	40.33 (1m AGL)	6480575.75	2672578.66
	2	700233.70	301885.14	94.83	6479093.40	2669576.96
	3	699824.75	302133.35	94.14	6478679.42	2669816.76
H5	1 East	701853.49	305614.87	59.17 (1m AGL)	6480636.53	2673339.38
	1 West	701830.03	305438.82	59.15 (1m AGL)	6480616.68	2673162.87
	2	700243.93	301904.17	93.31	6479103.24	2669596.20
	3	699825.55	302120.83	93.21	6478680.48	2669804.26
H6	1	705135.22	303025.47	3.60	6483970.89	2670817.60
	2	705150.28	303054.09	4.36	6483985.36	2670846.52
	3	705128.48	303181.01	4.52	6483960.96	2670972.98
	4	705140.46	303245.65	4.56	6483971.62	2671037.86
	5	699924.41	302220.89	95.30	6478777.27	2669906.33
	6	699954.33	302082.97	95.30	6478810.02	2669769.04
	7	700017.83	301790.27	95.30	6478879.51	2669477.68
	8	700030.06	301733.94	95.30	6478892.89	2669421.61
H7	1 North	702580.93	303922.36	4.04 (1m AGL)	6481398.56	2671662.02
	1 South	702511.28	303993.38	5.27 (1m AGL)	6481327.47	2671731.59
	2	700153.50	301795.49	95.90	6479015.05	2669485.68
	3	699865.91	302173.37	95.59	6478719.76	2669857.61
K1	1	798860.59	399620.62	79.03	5915885.21	1756822.15
	2	797381.84	699269.34	95.31	5914413.20	1756443.59
	3	797443.40	399071.35	95.31	5914478.41	1756246.77
	4	797878.25	399320.88	90.03	5914908.57	1756504.30

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
K2	1	798347.26	399494.19	68.47	5915374.30	1756686.25
	2	797390.49	399227.38	111.30	5914422.63	1756401.79
	3	797445.37	399078.01	111.30	5914480.26	1756253.46
	4	797878.25	399320.88	90.03	5914908.57	1756504.30
M4	1	690337.55	303343.61	14.53	6469168.78	2670832.46
	2	690441.89	303245.78	16.42	6469275.11	2670736.78
	3	690560.13	303162.63	16.85	6469395.03	2670656.07
	4	690648.70	303112.86	16.04	6469484.61	2670608.12
	5	692464.84	301884.69	41.50	6471325.64	2669417.33
	6	692170.90	301588.13	41.50	6471037.82	2669114.79
	7	691911.93	301326.86	41.50	6470784.24	2668848.26
	8	691878.97	301293.61	41.50	6470751.97	2668814.34
M5	1	693409.79	302246.00	12.07	6472263.06	2669797.95
	2	693635.75	302185.59	17.66	6472490.22	2669742.18
	3	693733.92	302159.19	19.24	6472588.92	2669717.79
	4	693827.41	302128.77	19.47	6472683.02	2669689.29
	5	693916.87	302089.15	18.54	6472773.28	2669651.51
	6	693999.68	302041.34	16.49	6472857.05	2669605.40
	7	694075.47	301986.21	13.42	6472933.96	2669551.83
	8	692110.70	301352.95	57.20	6470982.45	2668878.42
	9	692080.31	301435.42	57.20	6470950.37	2668960.25
	10	692051.64	301513.18	57.20	6470920.12	2669037.41
	11	692025.09	301585.24	57.20	6470892.09	2669108.92
	12	692001.35	301649.64	57.20	6470867.04	2669172.82
	13	691978.44	301711.79	57.20	6470842.86	2669234.49
	14	691925.88	301854.41	57.20	6470787.38	2669376.02
M6	1 West	694972.79	300648.68	4.69 (1m AGL)	6473858.56	2668232.88
	1 East	694589.36	301235.12	4.72 (1m AGL)	6473463.16	2668811.38
	2	692034.20	301367.37	52.04	6470905.66	2668891.26
	3	692164.99	301974.13	53.90	6471024.00	2669500.62

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
01	1 East	701841.86	305600.72	59.39 (1m AGL)	6480625.19	2673324.99
	1 West	701820.72	305368.51	58.65 (1m AGL)	6480608.81	2673092.39
	2	697778.33	301387.20	114.08	6476648.58	2669028.78
	3	697097.31	302176.21	111.84	6475951.49	2669803.73
02	1	699449.51	303795.32	57.90 (1m AGL)	6478270.17	2671470.81
	2	697950.82	301332.36	110.03	6476822.16	2668977.48
	3	697306.19	301866.99	110.03	6476166.67	2669498.82
03	1	796076.96	405546.22	23.40	5912992.44	1762695.35
	2	797473.51	401586.04	116.77	5914462.01	1758761.60
	3	797890.71	401758.93	116.77	5914875.95	1758942.17
	4	797522.90	402496.90	98.44	5914494.56	1759673.23
04	1	695642.20	306348.50	23.37 (1m AGL)	6474411.08	2673945.60
	2	697157.37	301503.26	119.27	6476025.32	2669132.10
	3	697910.81	301806.97	119.27	6476772.44	2669451.20
05	1	698566.03	300128.47	82.31 (1m AGL)	6477461.95	2667786.36
	2	697384.47	301553.98	145.02	6476251.36	2669187.46
	3	697752.69	301791.79	145.02	6476614.65	2669432.79
06	1	698483.88	300369.21	80.19 (1m AGL)	6477374.89	2668025.38
	2	697393.18	301544.95	135.00	6476260.24	2669178.62
	3	697682.46	301758.36	135.00	6476545.12	2669397.92
07	1	696025.39	301747.96	46.14 (1m AGL)	6474888.49	2669353.57
	2	697544.63	301523.08	136.25	6476412.12	2669159.85
	3	697560.38	301797.44	136.25	6476422.25	2669434.50
08	1	695785.19	301773.46	40.70 (1m AGL)	6474647.80	2669374.15
	2	697545.57	301543.00	123.00	6476412.65	2669179.79
	3	697560.46	301794.83	123.00	6476422.38	2669431.88

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
O9	1	695496.93	301804.39	34.75 (1m AGL)	6474358.95	2669399.16
	2	697543.63	301549.44	127.25	6476410.59	2669186.19
	3	697558.19	301732.32	127.25	6476421.39	2669369.33
O10	1 North	699908.19	306798.34	66.16 (1m AGL)	6478667.24	2674482.81
	1 South	699831.20	306761.41	61.20 (1m AGL)	6478591.01	2674444.30
	2	697073.91	301868.56	97.63	6475934.39	2669495.64
	3	698168.04	301376.68	96.67	6477038.45	2669026.24
O11	1	693088.40	302314.89	4.56	6471940.30	2669860.25
	2	693635.61	302170.84	17.40	6472490.38	2669727.43
	3	693765.37	302134.44	18.80	6472620.87	2669693.69
	4	693838.51	302108.50	18.66	6472694.53	2669669.25
	5	693927.43	302067.10	17.51	6472784.29	2669629.68
	6	693994.14	302027.39	15.64	6472851.80	2669591.34
	7	697494.65	301195.77	108.65	6476368.86	2668831.56
	8	697520.10	301388.84	108.65	6476390.35	2669025.13
	9	697544.52	301574.14	108.65	6476410.97	2669210.90
	10	697557.94	301675.93	108.65	6476422.30	2669312.95
	11	697573.82	301796.44	108.65	6476435.71	2669433.77
	12	697633.01	302245.55	108.65	6476485.69	2669884.03
O12	1	694184.46	297363.11	109.80 (1m AGL)	6473137.65	2664931.62
	2	697836.51	301455.68	121.07	6476705.34	2669098.44
	3	696962.75	302092.55	69.45	6475818.66	2669717.31
R1	1	797103.54	396738.02	49.66	5914181.76	1753907.56
	2	796515.04	397690.11	80.91	5913575.76	1754848.59
	3	796263.54	397477.74	80.91	5913328.23	1754631.61
	4	796453.32	397420.08	75.97	5913519.04	1754577.47
R2	1	697054.05	297980.45	62.15 (1m AGL)	6475994.19	2665607.65
	2	696151.17	297721.55	67.78	6475096.74	2665330.30
	3	696316.85	297398.42	67.78	6475269.02	2665010.60

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
T1	1	701987.11	301188.04	80.07 (1.5m AGL)	6480860.86	2668915.89
	2	711446.65	306709.29	-154.22	6490205.97	2674630.35
	3	708779.06	309780.86	-154.22	6487475.74	2677646.81
T2	4	703614.22	304689.12	6.03 (1m AGL)	6482415.99	2672449.85
	5	703014.43	308112.62	4.50 (1m AGL)	6481746.11	2675860.58
	6	708410.60	313165.72	-	6487037.91	2681023.64
	7	708818.09	311947.88	-	6487470.31	2679814.33
	8	710510.83	306888.77	-	6489266.60	2674790.61
	9	710904.03	305713.64	-	6489683.84	2673623.69
T3	1	705594.11	298483.08	40.75(1m AGL)	6484522.81	2666285.20
	2	708722.17	308927.79	58.80	6487436.36	2676792.68
	3	711255.75	307800.95	58.80	6489992.71	2675717.94
T4	1	715730.47	297451.20	96.05(1m AGL)	6494679.10	2665461.22
	2	708874.06	307789.93	-24.00	6487611.55	2675658.08
	3	711807.79	309220.37	-24.00	6490515.56	2677148.50
T7	1 West A	700562.76	300978.60	82.62 (1m AGL)	6479400.41	2668758.99
	1 East	700478.02	301158.34	82.24 (1m AGL)	6479352.58	2668855.27
	1 East B	700442.07	301227.29	82.24	6479315.23	2668923.47
	2A	711421.97	306359.72	-80.84	6490188.46	2674280.31
	3	708613.90	310351.25	-80.84	6487298.90	2678213.73
T8	1	702296.73	308536.01	48.85 (1m AGL)	6481019.82	2676269.20
	2	710028.95	307723.32	-40.40	6488767.66	2675615.16
	3	710009.10	309519.42	-40.40	6488710.98	2677410.63
T9	1	700039.50	312864.57	34.43 (1m AGL)	6478674.16	2680550.86
	2	709497.94	307256.01	-46.40	6488246.30	2675137.03
	3	710336.61	309006.11	-1.28	6489048.97	2676904.10
T10	1	701819.89	311994.57	3.82 (1m AGL)	6480472.14	2679717.49
	C	701851.90	311995.30	3.93 (1m AGL)	6480504.12	2679718.87
	B	701895.90	312026.60	3.74 (1m AGL)	6480547.49	2679751.03

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
	A	701956.20	312066.30	3.67 (1m AGL)	6480606.91	2679791.98
	2	701965.95	312068.19	3.89 (1m AGL)	6480616.66	2679794.10
	4	711415.82	312340.85	-	6490059.63	2680260.53
	3	709114.18	305749.98	-	6487893.47	2673623.32
V1	1	708834.83	301872.48	34.76(1m AGL)	6487693.65	2669740.60
	2	705661.08	302924.15	52.54	6484498.76	2670727.07
	3	705781.62	303235.05	52.54	6484612.91	2671040.40
V2	1	707756.27	302283.36	30.23(1m AGL)	6486606.82	2670129.32
	2	705662.47	302929.50	50.93	6484500.04	2670732.45
	3	705784.02	303238.20	50.93	6484615.25	2671043.60
V3	1	707069.80	302539.40	28.17(1m AGL)	6485915.18	2670371.25
	2	705663.48	302934.70	38.67	6484500.94	2670737.67
	3	705782.97	303230.84	38.67	6484614.35	2671036.22
W1	1	697757.91	305201.86	39.93 (1m AGL)	6476549.98	2672842.48
	2	689205.15	307347.51	53.24	6476953.18	2674996.99
	3	698546.34	307246.90	53.24	6477296.39	2674903.39
W2	1	697848.01	305497.99	37.25 (1m AGL)	6476634.00	2673140.42
	2	698205.23	307349.40	84.93	6476953.22	2674998.88
	3	698600.42	307226.92	84.93	6477350.87	2674884.52
W3	No survey information available					
W4	1	696722.79	306669.87	25.84 (1m AGL)	6475484.93	2674289.07
	2	698443.54	307021.26	54.87	6477198.23	2674675.68
	3	698234.35	307564.10	54.87	6476977.94	2675214.15
W5	1	697752.08	307166.33	20.75 (1m AGL)	6476503.89	2674806.55
	2	698387.10	307126.48	73.90	6477139.64	2674779.72
	3	698261.16	307548.02	73.90	6477005.07	2675198.62

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
W6	1	796710.05	407308.08	18.97	5913592.85	1764468.66
	2	798521.23	407088.90	53.08	5915407.83	1764283.01
	3	798511.65	407595.58	53.08	5915388.89	1764789.44
	4	798371.87	407371.79	50.06	5915253.26	1764563.10
W7	No survey information available					
W8	1	697650.26	307775.82	23.70 (1m AGL)	6476389.59	2675413.87
	2	698232.07	307139.03	70.56	6476984.37	2674789.10
	3	698490.20	307579.59	70.56	6477233.44	2675234.88
W9	No survey information available					
W12	1	700278.02	312615.66	4.08	6478917.75	2680306.88
	2	700398.77	312615.78	3.41	6479038.48	2680309.47
	3	312572.98	312572.98	3.95	6479230.57	2680270.60
	4	700759.14	312462.25	3.77	6479401.95	2680163.35
	5	700758.37	312403.39	3.41	6479402.39	2680104.49
	6	700810.61	312386.30	3.63	6479454.97	2680088.47
	7	700872.05	312406.30	4.30	6479515.99	2680109.73
	8	701017.90	312383.91	3.63	6479662.28	2680090.33
	9	701237.70	312297.34	3.24	6479883.82	2680008.28
	10	701381.87	312221.15	2.93	6480029.53	2679935.06
	11	701590.14	312099.96	2.99	6480240.26	2679818.16
	12	698691.97	307101.46	51.50	6477444.98	2674760.96
	13	698590.07	307154.07	51.50	6477342.02	2674811.47
	14	698521.04	307189.71	51.50	6477272.26	2674845.69
	15	698421.52	307241.09	51.50	6477171.71	2674895.02
	16	698362.29	307271.67	51.50	6477111.86	2674924.38
	17	698308.95	307299.20	51.50	6477057.96	2674950.82
	18	698223.81	307343.15	51.50	6476971.93	2674993.02
	19	698143.55	307384.60	51.50	6476890.83	2675032.81
	20	698098.13	307408.04	51.50	6476844.94	2675055.32

AUCKLAND Regional Policy Statement

VIEWSHAFT REFERENCE	PT	MT EDEN CIRCUIT		HEIGHT (AGL – Above Ground Level)	NZ MAP GRID	
		Northing	Easting		Northing	Easting
W13	1	801191.95	409541.66	41.84	5918032.86	1766784.80
	2	798340.26	407552.71	65.41	5915218.31	1764743.40
	3	798734.91	407081.77	65.41	5915621.62	1764279.83
	4	799689.62	407780.70	47.93	5916563.28	1764996.31
W18	1	699749.11	306700.41	53.43 (1m AGL)	6478510.19	2674381.64
	2	699901.45	306778.19	65.06 (1m AGL)	6478660.91	2674462.52
	3	698462.25	307621.40	55.35	6477204.63	2675276.11
	4	698245.42	307102.02	55.35	6476998.48	2674752.36
W19	1	701829.41	305309.58	57.10 (1m AGL)	6480618.71	2673033.64
	2	701845.08	305540.37	59.05 (1m AGL)	6480629.65	2673264.71
	3	698478.54	307554.53	102.30	6477222.30	2675209.59
	4	698231.71	307109.00	76.60	6476984.63	2674759.06
W24	1	696135.64	308528.62	16.33 (1m AGL)	6474859.76	2676135.51
	2	696250.72	308250.82	20.91 (1m AGL)	647980.53	2675860.12
	3	698238.82	308250.82	45.44	6476990.94	2674798.39
	4	698509.97	307617.83	47.17	6477252.42	2675273.52
W25	1	698397.00	308157.04	27.31 (1m AGL)	6477128.42	2675810.34
	2	698783.10	307329.06	57.03	6477531.43	2674990.39
	3	698082.04	307299.47	57.03	6476831.08	2674946.44
W26	1	697670.27	313438.05	44.05 (1m AGL)	6476293.52	2681075.68
	2	697030.51	301657.01	102.50	6475895.33	2669283.22
	3	698561.74	301673.38	102.50	6477426.01	2669330.97
	4	698136.49	307285.37	74.62 Upper 48.32 Lower	6476885.81	2674933.46
	5	698667.58	307352.27	81.24 Upper 48.32 Lower	6477415.46	2675011.23
	6	698744.32	307361.93	48.32	6477491.98	2675022.47
	7	699876.05	299978.01	126.30	6478774.89	2667662.76
	8	700229.97	300040.80	126.30	6479127.47	2667732.80
	9	699850.60	302026.38	114.10	6478707.46	2669710.34
	10	700165.08	302090.98	114.10	6479020.57	2669781.37

AUCKLAND Regional Policy Statement

